



















压总名称	常规编号	产品图片正面	产品图片反面	外贸编号	OEM号码	产品基本参数	配套编号
日野大金430	AYC430A04			AYC430-10 配日野安装孔12.5	HNC507 31210-1953 31210-1066 31210-1021 31210-1051 31210-1050 31210-1065	φ 430* φ 250* φ 456	
	AYC430A07			大金430五十铃 宽爪分离杆 安装孔小孔	ISC596	φ 430* φ 250* φ 456	
三菱430带分离垫环	AYC430A05			AYC430-25 配三菱安装孔小孔 φ 11 带垫环	MFC548	φ 430* φ 250* φ 456	
	AYC410A03			压盘410 外壳通用大金 430		φ 410* φ 250* φ 456	
	AYC410A06				MFC552 ME550779	φ 410* φ 250* φ 456	
三菱430	AYC430A03			AYC430-24 配三菱安装孔小孔 φ 11	NDC508	φ 430* φ 250* φ 456	

广汽日野拉式430	AYL430A52			AC430-07 国内配广汽日野700	31250-10560 S3120-11750	φ 430* φ 250* φ 450*11	
					HNC539	φ 430* φ 248* φ 456 螺纹孔直径 φ 12. 5	
					MFC582	φ 430* φ 248* φ 456 螺纹孔直径 φ 12. 5	
51K拉式430	AYL430A51			AC430-05 配五十铃51K 6WF1	1-31220429-0 S3120-11721	φ 430* φ 248* φ 456 螺纹孔直径 φ 12. 5	
	AYL430A72				NDC534	φ 430* φ 251* φ 456 螺纹孔直径 φ 11	
	AYL430A59				MFC594 ME538108	φ 430* φ 248 φ 456	
	AYL430A59 带轴承				MFC594 带轴承	φ 430* φ 248 φ 456	


	AYC410A02				NDC518	φ 410* φ 250* φ 438	
尼桑410	AYC410A01			AC410-01	NDC518	φ 410* φ 218* φ 438	
						3488019133 1862543031 31250-5020	配日野 止口435轴承 不同
	外采			配三菱	MFC584	φ 432* φ 248* φ 442	
AYSC380A03 AYSC380A03-221中压盘 AYSC380A03-222修理包	NDC512 30201-90079 30201-90103 30201-90107					380*240*410	
	现代380						


				配福田	ISC826	φ 380* φ 240 φ 405 安装孔位 φ 11	五十铃380膜片式
					ISC650 1-21220-412-0	φ 380* φ 240 φ 405 安装孔位 φ 11	五十铃380膜片式
	AYC38011			AYC38011		φ 380* φ 220 φ 405 安装孔位 φ 11	
	AYC380A09					φ 380* φ 220 φ 405 安装孔位 φ 11	五十铃380带分离环
五十铃CS380	AYC380A05			AC380-07	ISC599 1-31220-207-0 1-31220-207-1	φ 380* φ 220 φ 405 安装孔位 φ 11	
三菱CS380	AYC380A04			AC380-06	ME521154	φ 380* φ 220 φ 406.4 安装孔位 φ 11	


			AC380-06	ME521154 带垫环	φ 380* φ 220 φ 406.4 安装孔位 φ 11	
日野CS380	AYC380A06		AC380-05 配日野	HNC541 HNC517	φ 380* φ 220 φ 405 安装孔位 φ 12.5	
	AYC380A07		配尼桑 安装孔直径11	NDC528带分离环	φ 380* φ 220 φ 405 安装孔位 φ 11	
	AYC380A12		配尼桑 安装孔直径与日野不同	NDC528	φ 380* φ 220 φ 405 安装孔位 φ 11	
日野CS350	AYC350A03		AC350-12	HNC521 31210-2282 31210-2283 31210-1203 31210-2330 31210-1123	φ 350* φ 220 φ 379 ME520600	
				MFC561	φ 350* φ 220 φ 375	

	AYM350A09				MFC561	φ 350* φ 220 φ 375	
爱思帝350	AYM350A08			AC350-11	ISC810 1601040-150	φ 350* φ 220 φ 379 □	
三菱CS350	AYC350A05			AC350-10	NDC516	φ 350* φ 220 φ 379	
	AYC350A10			五十铃350新款	ISC607 1-31220-3130 1-31220-2910	φ 350* φ 220 φ 379	
五十铃CS350	AYC350A04			AC350-07 配五十铃	ISC534 1-31220-1681 1-31220-1821 1-31220-2401	φ 350* φ 220 φ 379	
	AYC325A04					φ 325* φ 210* φ 350 销钉孔周径356	

三菱325 CS325	AYC325A01		AC325-02	MFC507	φ 325* φ 210* φ 368	
尼桑325	AYM325A05		AC325-05	NDC536	φ 325* φ 210* φ 368	
	AYM325A04			MFC590	φ 325* φ 210* φ 368	
五十铃325-700P	AYM325A02		AC325-04	ISC592 ISC808 8-97038-831-2	安装孔周径 φ 368生铁盘 外径 φ 325内孔 φ 210产 品安装高度67±1.5压 紧力10500±700N	
五十铃300	AYM300A03		AC300-03	ISC572 8-97031-757-1 8970317572	φ 300* φ 190* φ 350	
丰田300	AYM300A05			TYC617	φ 300* φ 190* φ 345	

	AYM300A06				MFC586 ME521118	φ 300* φ 190* φ 350	
	AYC300A02				31210-2050 HNC518 31210-E0140	φ 300* φ 190* φ 350	日野的不带环
日野CS300	AYC300A01			1-31220-147-0 1-31220-147-1	ISC549	φ 300* φ 190* φ 350	五十铃的带环
					31210-0W060 31210-LAA50	φ 300* φ 190* φ 345	
华帅					NSC810 30210-4JA0A 30210-4JA0B	φ 275* φ 164* φ 304.8	
五十铃275					ISC647	φ 275* φ 180* φ 316	

五十铃275	AYM275A02			AC275-04	暂无	φ 275* φ 166* φ 307	
孟加拉275 三菱275	AYM275A04				ME500850	φ 275* φ 175* φ 311	
丰田叉车	AYC275A05					φ 275* φ 162* φ 315	
欧马克275	AYM275A03			AC275-03	暂无	275*178*320	
	AYC275A02					φ 275* φ 175* φ 320	
叉车275（四爪） 不带分离环	AYC275A04			AC275-06	5-31220-023-0 ISC598	φ 275* φ 175* φ 320	

叉车275三爪	AYC275A03				9024667-50 31210-23060-71	φ 275* φ 162* φ 315	
捷奥五十铃275	AYM275A09				ISC519	φ 275* φ 180* φ 320	
三菱275	AYM275A06				ME500850 CM-316	φ 275* φ 173* φ 311	
叉车275（四爪） 带分离环	AYC275A02			AC275-05	暂无	φ 275* φ 175* φ 320	