




压总名称	常规编号	产品图片正面	产品图片反面	外贸编号	OEM号码	产品基本参数	配套编号
	铸铁445压盘				3483000510 3483023001 轴承号码 3151032308	Φ 445Z445W	配 奔驰 曼
	铸铁445压盘			配 曼恩	3483000509 3483023003	Φ 445Z445W	配 曼恩
					3483000139		
							
奥威拉式大孔	AYL430A01-B			AC430-21 配奥威	暂无	Φ 430* Φ 240* Φ 450 外壳止口 Φ 475	
法雷奥雷诺430	AYL430A56			AC430-20 配斯堪尼亚	805787 805786	Φ 430* Φ 240* Φ 450 外壳止口 Φ 470	

法雷奥430	AYL430A105			831450 3482083034	φ 430* φ 240* φ 450 外壳止口 φ 475	
雷诺推式430	AYM430A09		AC430-23	5000841299 263386	φ 430* φ 238* φ 450	
萨克斯高盖430	AYL430A88			31210-E0720 3182001131	φ 430* φ 238* φ 450	
福达430	AYM430A06		AC430-16	暂无	外壳止口 φ 475压盘直 径 φ 430压盘内孔 φ 235 安装螺丝孔 φ 11	
斯堪尼亚430	AYM430A05		AC430-15 小孔	3482000552 3482001307	外壳止口 φ 475压盘直 径 φ 430压盘内孔 φ 235 压紧力27000±1500N安 装高度55±1.5	
沃尔沃430	AYM430A08		AC430-22	3482000553 3482001308	外壳止口 φ 475压盘直 径 φ 430压盘内孔 φ 255 压紧力±27000安装高 度55±1.5	



沃尔沃430					3482001309 3482001305		
重汽430	AYL430A41			AC430-14	AZ9921160200	φ 430* φ 258* φ 450 外壳止口 φ 475	
重汽430 主机	AYL430A74				DZ93189160356	φ 432* φ 238* φ 450 外壳止口 φ 475	从动盘厚度10.6 压紧力39000-43500
重汽430 大内孔加强版 主机	AYL430A89				DZ93189160359	φ 432* φ 258* φ 450 外壳止口 φ 475	从动盘厚度10.6 压紧力39000-43500
					3482112032 3482112031	φ 400* φ 215* φ 450 外壳止口 φ 470	配 斯堪尼亚
					3482000589	431x257x450-34T/70.5mm	




萨克斯推式430	AYM430A04			AC430-13 配金龙 宇通	3482124549 3482124519 3482000519	φ 430* φ 235* φ 450 外壳止口 φ 475	
萨克斯拉式430大马力	AYL430A07			AC430-12 对应奥德华大马力 膜片腰眼孔 φ 304		外壳止口 φ 475压盘内孔 φ 235安装孔周径 φ 450 产品压紧力37500±1500N 安装高度60±1.5膜片厚度5.2	
萨克斯拉式430小马力	AYL430A09			AC430-26 对应奥德华小马力 膜片腰眼孔309	32 3482083118 32 3482000513 32 3482083113 32 3482127802 86 3482083118 3482081231 3482062003	外壳止口 φ 475压盘内孔 φ 235安装孔周径 φ 450 产品压紧力27500±1500N 安装高度60±1.5膜片厚度5.2	
萨克斯拉式430中马力	AYL430A11			AC430-27 对应奥德华中马力 配雷诺 膜片腰眼孔 φ 309	3482083252 3482123247 3482062035 3482000514 3482083222 3482123247	外壳止口 φ 470压盘内孔 φ 235安装孔周径 φ 450 产品压紧力32000±1500N安装高度60±1.5 膜片厚度用5.5膜片	
拉式弯膜片	430AYLA07-A			AC430-28 对应奥德华中马力 配奔驰弯膜片	3483030031 3483000024 3483000350 3483000449 3483030101	外壳止口 φ 475内孔 φ 235 产品压紧力36000±1500N膜片厚度5.5配奥德华弯膜片 膜片腰眼孔 φ 309	
拉式430小孔	AYL430A01			AYC430-11 拉环配小孔	暂无	φ 430* φ 235* φ 450 外壳止口 φ 475	



MFZ430 小马力	AYL430A77			3482083118 3482081232 3482086031	φ 430* φ 235* φ 450 外壳止口 φ 475	
	AYL430A95			CSN009 7169	φ 430* φ 238* φ 450 外壳止口 φ 470	
				6482000155		
				6482000216		
				6482000219		
				6482000279		


					3182008037		
					3182600101		
					3182009938		
					3182998501		
					3151000273		
					21459182 64820000171		

					A0022507415 3182600166		
					A0022507315 3182600141		
					A0022507415 3400710016		
					104800-3		
					3482083044		
	AYL430A14			430雷诺平垫环	3482083150	φ 430* φ 235* φ 450 外壳止口 φ 470	


				3483030032	φ 430* φ 235* φ 450 外壳止口 φ 475 弯膜片	轴承号码是3100002255
	AYL430A17			3482000691	φ 430* φ 258* φ 450 外壳止口 φ 475 直膜片	配雷诺
豪沃拉式430	AYL430A12-A			AC430-08	暂无	φ 430* φ 240* φ 450 外壳止口 φ 475产品压 紧 力41000±1500N安装高 度61±1.5
	AYM430A21			343482001826F1-055033		φ 430* φ 257 φ 450 外壳止口 φ 475 安装螺丝安装面高度63 从动盘厚度11安装高度 76 压紧力33100分离力 9400 压盘升程1.78
	没开发			久耐有生产	1882346131 1882346031 1882304237	GF420XN 配 奔驰 曼
					3482000589	φ 431* φ 257 φ 450 34T/70.5




	没开发			上海树格贸易有样品	3482114031 3482000732 81303059226	GMFZ430N	配KAMAZ MAN
	AYL430A62			配雷诺商用车350马力	3482097141 3482123441 5000677060	φ 430* φ 235 φ 450 外壳止口 φ 457	
沃尔沃推式420	AYC420A05			AYC420A05	1882226533 1882226433	φ 420* φ 220* φ 450 垫环厚度18	沃尔沃推式420
斯太尔420	AYC420A01			AC420-02	1882342134 1882342101 1882342131 1882600127 1882342104 号码对应的是大头分离杆	φ 420* φ 220* φ 450 外壳止口 φ 475	
道依茨420	AYC420A02			AC420-01	1882301239 1882301209 1882330033 1882301210 1882301208	φ 420* φ 215* φ 450 外壳止口 φ 475	
					44270505186 34115007	捷克斯洛伐克市场	




400单压盘	AYL400A02				3482078133 5010545984	φ 400* φ 215* φ 418 止口450	
400单压盘	AYL400A01				3482078134	φ 400* φ 215* φ 422 止口450	
MFZ400双片式	AYL400A23			AC400-01 400配奔驰18齿双片5件 套 老款	3400121501 3400000455 3400000644 3400000965	φ 400* φ 245* φ 450	轴承3100000003
	3400700702 3488000453 1878009816						
	400中间压盘				3459018004 3459018001	φ 400* φ 245* φ 450	
				400配沃尔沃10齿双片 总成	3400700406 3400000621 3400126201	φ 400* φ 245* φ 450	轴承3100026431 3100026431

	AYL400A22			400配沃尔沃24齿双片总成	3400700360 3400000488 3400000613	φ 400* φ 245* φ 450	轴承3100026431 3100026431
	AYL400A31			AC400-01 400配奔驰10齿双片5件套	3400121601 3400000130	φ 400* φ 245* φ 450	轴承3151000547
萨克斯推式395	AYM395A03			AC395-04	3482123839 3482123809 3482123814	φ 395* φ 240* φ 410 外壳止口 φ 435	
萨克斯拉式395	AYL395A01			AC395-03	3482000546 3482000212 3482000349 3482000404	产品压紧力17500±1500 安装高度54±1.5 φ 395* φ 225* φ 435 安装孔410	
		  			3400700628		从动盘 OE1878007939 短盘毂
	AYSL380A05				轴承编号3151000750 3151264031	3488019133 1862543031 31250-5020 总成号31001-E0180 31001-E01701 31200-1590A	配日野 止口435轴承 不同


	沃尔沃400				3488018031		这款产品不同
380双片膜片式	AYL380A01		AC380-11 总成编号3488019032 此产品分两种10齿24齿 压盘相同里面从动盘不同	五件套编号 3400700427 3400000608	φ 380* φ 245* φ 410 外壳止口 φ 435		
	中间压盘		80沃尔沃双片里的中间 压盘可单独发也可组装 成五件套发货	3459017031 3459017001	φ 380* φ 245* φ 410 外壳止口 φ 435		
	上压盘		80沃尔沃双片里的上压 盘可单独发也可组装好 五件套一起发 轴承编码3151000154	3483027232 3483027332 3483000040 3483000273 3482111031 3482111001	φ 380* φ 245* φ 410 外壳止口 φ 435		
EQ153铸铁	AYC380A03		AC380-10	1882302131 1882302101 1882302134 1882331033	φ 380* φ 195* φ 410 外壳止口 φ 435		
LUK380	AYC380A21				φ 380* φ 195* φ 410 外壳止口 φ 435		



	AYSL380A03				3482059031 3482059001		
	AYC380A10			配沃尔沃 依维柯	1882325134	φ 380* φ 195* φ 410	
依维柯380	AYL380A02				504129284	φ 380* φ 220 φ 422 安装孔位 φ 11	
拉式380	AYL380A01					φ 380* φ 220 φ 405 安装孔位 φ 11 轴承编号3151000421	
沃尔沃双片380 上压盘	AYSC380A01-001			AYSC380A01-001	1882280213	φ 380* φ 195 φ 410	沃尔沃双片380 上压盘
沃尔沃双片380 中压盘	AYSL380A01-002			与奔驰中压盘高度不同	1859212000 配沃尔沃	φ 380* φ 220	沃尔沃双片380 中压盘

奔驰380杠杆式双片	AYSL380A02			1800125602	φ 380* φ 220	
GMF380推式铸盖膜片式	AYM380A04		AC380-03	3482017033 3482017003	φ 380* φ 195 φ 410 外壳止口 φ 435	
				805788 805728 3482000270	φ 380* φ 192* φ 410	
伊顿拉式365	AYL365A01					
						
拉式362	AYL362A01			3482120031 3482120101 3482120102	φ 362* φ 193* φ 375 外壳止口 φ 389	


萨克斯推式362高盖	AYM362A01			AC362-02	3482000462 3482126331 3482000084 3482126305	安装孔周径 $\phi 375$ 安装 高度 61 ± 1.5 压紧力 12000 外壳止口 $\phi 395$ 压 盘内孔 $\phi 235$	
	AYM362A08				3482000859	$\phi 362 * \phi 215 * \phi 375$ 外壳止口 $\phi 395$	
	AYM362A07				3482001071 5010545984	$\phi 362 * \phi 192 * \phi 375$ 外壳止口 $\phi 395$	
萨克斯推式362低盖	AYM362A02			AC362-01	3482125512	安装孔周径 $\phi 375$ 安装 高度 61 ± 1.5 压紧力 12000 外壳止口 $\phi 390$ 压 盘内孔 $\phi 192$	
	AYL350A01				3483600109	$\phi 350 * \phi 193 \phi 380$	党妃发阿根廷 轴承号3151000670
	AYM350A16				3482060132 3482060102 3482060131	$\phi 350 * \phi 190 \phi 375$ 配从动盘1861777043 轴承3151000395	配DAF 曼

	AYM350A14				3482124041	φ 350* φ 190 φ 375	配雷诺
	AYM350A11					φ 350* φ 190 φ 375	
铸盖350（杠杆式6爪）	AYC350A06			AC350-08 配奔驰和依维柯	1881039532 1881039502 1800095001	φ 350* φ 190* φ 375	
	AYSC350A01-002			350杠杆式中压盘	1859170204	φ 350* φ 190 φ 375	
	AYSC350A01			配沃尔沃	1882250143	φ 350* φ 190 φ 375	
	AYSC350A01			配沃尔沃	1888019542	φ 350* φ 190 φ 375	

GMF350推式铸盖	AYM350A06				3482051131 3482051031 3482000953	φ 350* φ 190* φ 375 外壳止口 φ 400	
	AYC350A08			AYC350A08	1882234433 1882234403	φ 350* φ 190* φ 375	奔驰350杠杆式
	AYM350A13					φ 350* φ 208* φ 375	
					2996990	φ 353* φ 191. 5* φ 390	
	AYM330A06				3482012211	φ 330* φ 180* φ 345 止口365	
雷诺330	AYM330A04			AC330-02	暂无	φ 325* φ 225* φ 360	

	AYL330A01				98400726	MFZ330*188. 4*368	
铸盖310（杠杆式4爪）	AYC310A01	 	AC310-04		1882252331 1882600125 1882252301	φ 310* φ 190* φ 345	
	AYM310A03	 			暂无	φ 310* φ 170* φ 348	
雷诺310	AYM310A03-A	 	AC310-02		805518 0023618127 5516021253 5000456388 23618127 3482049041	φ 310* φ 170* φ 348	
MF310推式低盖	AYM310A01	 	AC310-01		3482008038 3482009031 3482008031 3482008001 3482008208	φ 310* φ 172* φ 345	
	AYL310A01	 			3482055132 3482055131 3482055031	φ 310* φ 172* φ 345	

	AYM310A05					φ 310* φ 172* φ 345	
	AYL310A02				98400713 3482094031	φ 310* φ 187* φ 348	
奔驰295	AYC295A02			1882201132		φ 295* φ 170* φ 314	
奔驰280	AYC280A01			1882230232	配奔驰	φ 280* φ 160* φ 314	
雷诺280	AYM280A01			AC280-02	暂无	φ 280* φ 163* φ 315	
俄罗斯GAZ280	AYM280A02				3482001577	φ 280* φ 192. 5* φ 314. 5	

拉式280	AYL280A01			AC280-01	暂无	φ 280* φ 166* φ 307 压紧力7100±700N 安装高度49±1.5	
奔驰拉式280	AYL280A02			3482054131	3482054131 3482054201	φ 280* φ 162* φ 314	
印度275	AYM275A07				暂无	φ 275* φ 162* φ 314.2	